

CATALOG

PT. Star TEC PACIFIC

2026

Electrical Terminal Manufacture










(021) - 8934782 📞
company@startecpacific.com ✉️
www.s-tec-pacific.com 🌐

Kawasan Industri 📍
Jababeka Raya Blok K
No 1 F-H, Cikarang -
Bekasi 17530










LIST OF TERMINAL PRODUCT

[illegible]

LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm2)	Material	Thick-ness	D	L	W	E	Remark
		RING TERMINAL									
		150600	0	1.25 ~ 2.0	Brass	0.8	Ø5.4	26	12		
		150700	0	2.0 ~ 3.0	Brass	0.8	Ø5.4	26	12		
		EARTH TERMINAL - L6									
		156016	0,2M	3.0 ~ 5.0	Brass	0.80	Ø6.6	32.0	14.0	14.0	
		156026	0,2M	1.25 ~ 2.0	Brass	0.80	Ø6.6	32.0	14.0	14.0	
		156036	0,2M	0.5 ~ 0.75	Brass	0.80	Ø6.6	32.0	14.0	14.0	
		EARTH TERMINAL - 6R									
		156015	0,2M	3.0 ~ 5.0	Brass	0.80	Ø6.6	32.0	14.0	14.0	
		156025	0,2M	1.25 ~ 2.0	Brass	0.80	Ø6.6	32.0	14.0	14.0	
		156025	0,2M	0.5 ~ 0.75	Brass	0.80	Ø6.6	32.0	14.0	14.0	
		RING TERMINAL									
		160600	0	1.25 ~ 2.0	Brass	0.8	Ø6.4	26	12		
		160700	0	2.0 ~ 3.0	Brass	0.8	Ø6.4	26	12		
		FLAT 2.3 TAB									
		209011	2M		Brass	0.64		24.5	4.7	3.9	
		FLAT 2.3 TAB									
		209031	2M		Brass	0.64		16.0	8.5	3.5	
		110 FLAT TAB for multi poles									
		211011	0,2M	0.75 ~ 1.25	Brass	0.50		20.4	2.79	12.0	
		211011	0A-S	0.75 ~ 1.25	Brass	0.50		20.4	2.79	12.0	
		211031	0*,2M**	0.3	Brass	0.50		20.4	2.79	12.0	
		211051	0*,2M**	0.3 ~ 0.5	Brass	0.50		20.4	2.79	12.0	
		* 211011-0A		* 211011-0A-S side type		** Ordering No.: 211031-0-A, 211031-2MA					
		110 FLAT REC for multi poles									
		211012	0,2M	0.5 ~ 1.25	Brass	0.25		15.4	3.7	6.3	
		211412	0**,2M**	0.2 ~ 0.35	Brass	0.25		15.4	3.7	6.3	
		* 211012-0A, 211012-2MA		** Ordering No.: 211412-0A, 211412-2MA							
		110 FLAT TAB for single pole									
		211021	2	0.5 ~ 1.25	Brass	0.50		20.4	2.79	12.0	
		211041	2*	0.2 ~ 0.35	Brass	0.50		20.4	2.79	12.0	
		* Ordering No.: 211041-2A									

LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm2)	Material	Thick-ness	D	L	W	E	Remark
		110 FLAT REC for single pole									
		211022	0*, 2, 2M*	0.5 ~ 1.25	Brass	0.25		15.4	3.7	6.3	(Mating)
		211032	0, 2, 2M	0.2 ~ 0.35	Brass	0.25		15.4	3.7	6.3	Tab t0.5
		(UL No. E98924: 211022-2, 211032-2 AWG#22) * Ordering No.: 211022-0A, 211022-2MU									
		110 FLAT REC for single pole									
		211026	0*, 2	0.5~1.25	Brass	0.25		15.4	3.7	6.12	(Mating)
		211028	0, 2M	0.5 ~ 1.25	Brass	0.25		15.4	3.7	6.12	Tab t0.5
		187 FLAT REC with window for single pole									
		218732	0, 2	0.5 ~ 1.25	Brass	0.32		15.0	5.6	6.35	TAB t0.5
		218742	0, 2	0.3 ~ 0.5	Brass	0.32		15.0	5.6	6.35	TAB t0.8
		218752	0, 2	0.5 ~ 0.75	Brass	0.32		15.0	5.6	6.35	TAB t0.8
		218762	0, 2	0.5 ~ 1.25	Brass	0.32		15.0	5.6	6.35	TAB t0.8
		187 FLAG									
		218784	0,2M	0.5 ~ 0.85	Brass	0.45		12.0	5.6	6.5	
		Flat 187 FF for single pole									
		2187FF	3M	-	Cooper Alloy	0.30		16.4	5.75	6.5	
		FLAT 187 REC									
		2187RS	3M	0.5 ~ 0.75	Cooper Alloy	0.30		20.3	5.75	16.3	
		2187RM	3M	0.75 ~ 1.25	Cooper Alloy	0.30		20.3	5.75	16.3	
		205 FLAT REC with window for single poles									
		220552	0, 2	0.3 ~ 0.75	Brass	0.40		15.65	6.35	6.35	TAB t0.8
		220554	0, 2	0.3 ~ 0.75	Brass	0.40		15.65	6.35	6.35	TAB t0.5
		220556	0, 2	0.3 ~ 0.75	Brass	0.40		15.65	6.35	6.35	TAB t0.52
		205 TAB with lanch for multipole									
		220581	0, 2M	0.3 ~ 0.75	Brass	0.40		26.6	5.2	13.6	TAB t 0.8
		FLAT 250 FF for single pole									
		2225RS	0	0.3 ~ 0.5	Brass	0.30		20.7	6.2	8.0	
		2225RM	0	0.75 ~ 2.0	Brass	0.30		20.7	6.2	8.0	










LIST OF TERMINAL PRODUCT

[illegible]










LIST OF TERMINAL PRODUCT

[illegible]

LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm2)	Material	Thick-ness	D	L	W	E	Remark
		Ø5 GIBOSHI REC									
		300502	0, 2, 2M	0.5 ~ 2.0	Brass	0.40		17.60	4.70	6.50	
		300542	0	0.2 ~ 0.33	Brass	0.40		17.6	4.7	6.5	
		SHORE PLUG W REC									
		320412	0, 2	0.75 ~ 1.25	Brass	0.30		22.00	10.00	4.00	
		320512	0, 2	0.75 ~ 1.25	Brass	0.30		22.00	10.60	4.30	
		FUSE TANSI									
		365801	0A	0.75 ~ 1.25	Brass	0.30		18.03	6.65	6.92	
		FUSE TANSI									
		365874	0	0.75 ~ 1.25	Brass	0.45		16.82	7.15	6.90	
		BUTTON CONTACT									
		400400	0, 2M	0.5 ~ 0.75	Brass	0.40		10.00	4.60	1.6	
		400412	0	0.3 ~ 0.75	Brass	0.40		10.00	4.60	1.7	
		400313	0, 2M	0.5 ~ 0.75	Brass	0.40		9.94	4.60	1.6	
		TERMINAL SPOT WELD									
		410400	0, 2M	0.85 ~ 1.25	Brass	0.50		12.20	Ø4.5		
		WEDGE CONTACT									
		425064	0	0.3 ~ 0.75	Brass	0.40		15.40	4.90	9.30	
		425067	0	0.3 ~ 0.75	Brass	0.40		13.10	4.80	7.50	
		WEDGE CONTACT									
		425065	0	0.5 ~ 1.25	Brass	0.40		15.60	4.30	9.50	
		WEDGE CONTACT									
		425066	0	0.5 ~ 1.25	Brass	0.32		17.10	5.25	12.30	

LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm2)	Material	Thick-ness	D	L	W	E	Remark
		WEDGE CONTACT									
		425300	0	0.5 ~ 1.25	Brass	0.40		17.50	5.10	11.20	
		WEDGE CONTACT									
		N431501	PS0A	0.3 ~ 0.75	Brass	0.30		12.56	5.50	6.72	
		WEDGE CONTACT									
		431502	PS0A	0.3 ~ 0.75	Brass	0.30		12.56	5.50	6.72	
		SPLICE									
		553800	0, 2M	1.0~2.5	Brass	0.4		8.3	3.8	5.0	
		565200	0, 2M	2.5~5.5	Brass	0.5		9.3	5.2	6.0	
		SPLICE									
		576500	0, 2M	5.0 ~ 8.0	Brass	0.60		7.1			
		110 REC									
		604132	0,2M,0A	0.3 ~ 0.5	Brass	0.25		15.60	4.10	7.00	
		604152	0,2M,0A	0.5 ~ 0.75	Brass	0.30		15.60	4.10	7.00	
		090 TAB									
		609011	2MA	0.5 ~ 1.25	Brass	0.30		26.85	2.20	8.0	
		609311	2MA	0.75 ~ 1.25	Brass	0.30		26.85	2.30	8.0	
		609411	2MA	0.5 ~ 0.75	Brass	0.30		26.85	2.20	8.0	
		090 REC									
		609012	2MA	0.75 ~ 1.25	Brass	0.25		16.55	3.00	6.85	
		609312	2MA	0.75 ~ 1.25	Brass	0.25		16.55	3.00	6.85	
		609412	2MA	0.75 ~ 1.25	Brass	0.25		16.55	3.00	6.85	
		609512	2MA	0.3 ~ 0.5	Brass	0.25		16.55	3.00	6.85	

LIST OF TERMINAL PRODUCT

Product	Drawing	Parts No.	Finish	Wire Range (mm ²)	Material	Thick-ness	D	L	W	E	Remark
		090 REC									
		609042	2MA	0.3 ~ 0.75	Brass	0.25		11.30	2.94	4.50	
		090 REC									
		609072	2MA	0.75 ~ 1.25	Brass	0.25		16.40	3.00	6.90	
		090 TAB									
		609421	2M	0.5 ~ 1.25	Brass	0.3		23.5	3	8.3	
		090 REC									
		609422	3M	0.5 ~ 1.25	Cooper alloy	0.25		16	3.00	7.0	
		FUSE TERMINAL SINGLE JOINT									
		81101S	3MA	0.5 ~ 0.75	Cooper Alloy	0.4		22.2	4.4	18.4	
		81101M	3MA	0.75 ~ 1.25	Cooper Alloy	0.4		22.2	4.4	18.4	
		81101L	3MA	1.25 ~ 2.00	Cooper Alloy	0.4		22.2	4.4	18.4	
		FUSE TERMINAL 2 JOINT									
		81102M	3MA	2.0 ~ 3.0	Cooper Alloy	0.40		24.5	4.4	15.7	
		FUSE TERMINAL 2 JOINT									
		81102M	3MNA	2.0 ~ 3.0	Cooper Alloy	0.80		30.0	19.8	16.8	
		090 REC									
		81103M	3MA	2.0 ~ 3.0	Cooper Alloy	0.40		24.5	4.4	15.7	
		WEDGE CONTACT									
		81103M	3MNA	2.0 ~ 3.0	Cooper Alloy	0.80		30.0	19.8	16.8	
		Fuse Terminal									
		81121	2M	0.75 ~ 1.25	Brass	0.5		17.3	5.1	6.5	

MOTTO

Good System Support Good Quality



Please Contact Us :

FOR LOCAL NETWORK:

PT. NAGA PACIFIC

**DANAU SUNTER BARAT BLOK A2
NO 14 KEL. SUNTER AGUNG KEC.
TANJUNG PRIUK, JAKARTA
UTARA, JAKARTA, ZIP CODE:
14350**

Telp: (021) 6508873/74

Fax: (021) 6506614

E-mail: sales@nagapacific.com

Website: www.nagapacific.com

FOR WORLD WIDE NETWORK:

PT. STAR TEC PACIFIC

**JABABEKA INDUSTRIAL ESTATE
BLOCK K / 1 G-H, CIKARANG
BEKASI, INDONESIA, ZIP CODE: 17530
Telp: (021) 8934782/83**

E-mail: maura@startecpacific.com

Website: s-tec-pacific.com